


FIG.






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

174°	1250 1500 1250 (1375)	SUB- CODE SECTOR AMBLE WARTE
1 TRACK 134975 / (134850)	130425 (=888×141×25/24)	MAIN SECTOR
	1800	PRE- AMBLE
		HEAD

<u>Н</u> В.

RUN PATTERN	MSB CODEWORD LSB
PATTERN A	0001110001110000011100011
PATTERN B	1110001110001111100011100






FIG. 10



A/D CON-VERTER DEMODU-LATOR 25-24 CON-VERTER 45 ERROR-CORRECTING-CODE-AND-ID DETECTOR SYNC DETEC-TOR CONTROLLER 20 SYSTEM DATA (AUX, SUBCODE) VIDEO DATA DECOMPRESSOR AUDIO DATA DECOMPRESSOR 31 13 HD VIDEO ← SIGNAL 48 AUDIO ← SIGNAL

FIG. 12






FIG. 14

APT <sub>2</sub>	APT <sub>1</sub>	APT <sub>0</sub>	MEANING
0 0 0 0 1 1 1	0 0 1 1 0 0 1	0 1 0 1 0 1	CONSUMER DIGITAL VCR RESERVED RESERVED RESERVED RESERVED RESERVED RESERVED NO INFORMATION